INDEX
TO VOLUME 41

SUBJECT INDEX

Abortion

Abortion access for incarcerated women: are correctional health practices in conflict with constitutional standards? Kasdan D, Viewpoint, p. 59.

An illusion of power: qualitative perspectives on abortion decision-making among teenage women in Sweden, Ekstrand M, Tydén T, Darj E and Larsson M, p. 173.

Contraceptive use and abortion among women of reproductive age in St. Petersburg, Russia, see **Europe**.

Incarcerated women and abortion provision: a survey of correctional health providers, Sufrin CB, Creinin MD and Chang JC, p. 6.

Minors' behavioral responses to parental involvement laws: delaying abortion until age 18, see **Law and Policy**.

Barrier Methods

A little thing called love: condom use in high-risk primary heterosexual relationships, Corbett AM, Dickson-Gómez J, Hilario H and Weeks MR, p. 218.

Heterosexual anal sex is common among STD clinic clients, but is frequently not protected by condom use, see **Sexual Behavior**.

Relationship dynamics and consistency of condom use among adolescents, see **Teenagers**.

Sexual partnerships in Britain: characteristics differ by gender and predict likelihood of condom use, see **Europe**.

Your lips say yes, but..., FYI, p. 72.

Breast-Feeding

Pediatricians' support of breast-feeding is linked to their experience with it, Digest, p. 66.

Supportive practices among hospital staff are strongly linked to chances of breast-feeding, Digest, p. 191.

Two community-based initiatives fail to increase breast-feeding levels among disadvantaged women, Digest, p. 127.

Contraceptive Practice

Arousal loss related to safer sex and risk of pregnancy: implications for women's and men's sexual health, see **Sexual Behavior**.

Brother, can you spare a contraceptive? FYI, p. 201.

Contraceptive use and abortion among women of reproductive age in St. Petersburg, see **Europe**.

Trends in family planning in Russia, 1994–2003, see **Europe**.

Emergency Contraception

Barriers to adolescents' getting emergency contraception through pharmacy access in California: differences by language and region, see **Teenagers**.

Doctors' attitudes count, FYI, p. 201.

Europe

An illusion of power: qualitative perspectives on abortion decision-making among teenage women in Sweden, see **Abortion**.

Contraceptive use and abortion among women of reproductive age in St. Petersburg, Russia, Regushevskaya E, Dubikaytis T, Nikula M, Kuznetsova O and Hemminki E, p. 51.

In the UK, risk of severe maternal health problems is elevated for nonwhites, Digest, p. 193.

Sexual partnerships in Britain: characteristics differ by gender and predict likelihood of condom use, Digest, p. 64.

Sí, Spain can, FYI, p. 200.

Trends in family planning in Russia, 1994–2003, Perlman F and McKee M, p. 40.

Evaluation of Programs

Two community-based initiatives fail to increase breast-feeding levels among disadvantaged women, see **Breast-Feeding**.

Fertility: Planning and Effects

Decomposing trends in nonmarital fertility among Latinas, DeLeone FY, Lichter DT and Strawderman RL, p. 166.

Fertility outcomes not as planned? no worries, FYI, p. 73.

Nonmarital births soar, FYI, p. 140.

Government Policy, Programming and Funding

Is more leave better? FYI, p. 4.

Law and Policy

Minors' behavioral responses to parental involvement laws: delaying abortion until age 18, Colman S and Joyce T, p. 119.

Males

Early fatherhood linked to later health problems, FYI, p. 141.

For HIV-positive black men, having partners of both sexes may be a marker for risky sexual behaviors, Digest, p. 253.

Heterosexual Latino men's same-sex behavior may put their partners at risk, Digest, p. 131.

HIV-infected men who have sex with men: risky sex linked to early abuse, Digest, p. 256.

They "miss more than anything their normal life back home": masculinity and extramarital sex among Mexican migrants in Atlanta, Hirsch JS, Muñoz-Laboy M, Nyhus CM, Yount KM and Bauermeister JA, p. 23.

Young adult black men with depression have elevated STD prevalence, Digest, p. 254.

Maternal and Child Health

Among Arab American mothers, foreign birth, marriage may explain reduced risk of preterm birth, Digest, p. 129.

Infants' HIV may be linked to prechewed food from infected caregivers, Digest, p. 255.

Risk may relocate, FYI, p. 73.

Squeaking by on prematurity, FYI, p. 5.

You have to want to change, FYI, p. 72.

Oral Contraceptives

Pill use in the month before conception linked to risk of low birth weight, preterm delivery, Digest, p. 128.

INDEX
TO VOLUME 41

SUBJECT INDEX

Abortion

Abortion access for incarcerated women: are correctional health practices in conflict with constitutional standards? Kasdan D, Viewpoint, p. 59.

An illusion of power: qualitative perspectives on abortion decision-making among teenage women in Sweden, Ekstrand M, Tydén T, Darj E and Larsson M, p. 173.

Contraceptive use and abortion among women of reproductive age in St. Petersburg, Russia, see **Europe**.

Incarcerated women and abortion provision: a survey of correctional health providers, Sufrin CB, Creinin MD and Chang JC, p. 6.

Minors' behavioral responses to parental involvement laws: delaying abortion until age 18, see **Law and Policy**.

Barrier Methods

A little thing called love: condom use in high-risk primary heterosexual relationships, Corbett AM, Dickson-Gómez J, Hilario H and Weeks MR, p. 218.

Heterosexual anal sex is common among STD clinic clients, but is frequently not protected by condom use, see **Sexual Behavior**.

Relationship dynamics and consistency of condom use among adolescents, see **Teenagers**.

Sexual partnerships in Britain: characteristics differ by gender and predict likelihood of condom use, see **Europe**.

Your lips say yes, but..., FYI, p. 72.

Breast-Feeding

Pediatricians' support of breast-feeding is linked to their experience with it, Digest, p. 66.

Supportive practices among hospital staff are strongly linked to chances of breast-feeding, Digest, p. 191.

Two community-based initiatives fail to increase breast-feeding levels among disadvantaged women, Digest, p. 127.

Contraceptive Practice

Arousal loss related to safer sex and risk of pregnancy: implications for women's and men's sexual health, see **Sexual Behavior**.

Brother, can you spare a contraceptive? FYI, p. 201.

Contraceptive use and abortion among women of reproductive age in St. Petersburg, see **Europe**.

Trends in family planning in Russia, 1994–2003, see **Europe**.

Emergency Contraception

Barriers to adolescents' getting emergency contraception through pharmacy access in California: differences by language and region, see **Teenagers**.

Doctors' attitudes count, FYI, p. 201.

Europe

An illusion of power: qualitative perspectives on abortion decision-making among teenage women in Sweden, see **Abortion**.

Contraceptive use and abortion among women of reproductive age in St. Petersburg, Russia, Regushevskaya E, Dubikaytis T, Nikula M, Kuznetsova O and Hemminki E, p. 51.

In the UK, risk of severe maternal health problems is elevated for nonwhites, Digest, p. 193.

Sexual partnerships in Britain: characteristics differ by gender and predict likelihood of condom use, Digest, p. 64.

Sí, Spain can, FYI, p. 200.

Trends in family planning in Russia, 1994–2003, Perlman F and McKee M, p. 40.

Evaluation of Programs

Two community-based initiatives fail to increase breast-feeding levels among disadvantaged women, see **Breast-Feeding**.

Fertility: Planning and Effects

Decomposing trends in nonmarital fertility among Latinas, DeLeone FY, Lichter DT and Strawderman RL, p. 166.

Fertility outcomes not as planned? no worries, FYI, p. 73.

Nonmarital births soar, FYI, p. 140.

Government Policy, Programming and Funding

Is more leave better? FYI, p. 4.

Law and Policy

Minors' behavioral responses to parental involvement laws: delaying abortion until age 18, Colman S and Joyce T, p. 119.

Males

Early fatherhood linked to later health problems, FYI, p. 141.

For HIV-positive black men, having partners of both sexes may be a marker for risky sexual behaviors, Digest, p. 253.

Heterosexual Latino men's same-sex behavior may put their partners at risk, Digest, p. 131.

HIV-infected men who have sex with men: risky sex linked to early abuse, Digest, p. 256.

They "miss more than anything their normal life back home": masculinity and extramarital sex among Mexican migrants in Atlanta, Hirsch JS, Muñoz-Laboy M, Nyhus CM, Yount KM and Bauermeister JA, p. 23.

Young adult black men with depression have elevated STD prevalence, Digest, p. 254.

Maternal and Child Health

Among Arab American mothers, foreign birth, marriage may explain reduced risk of preterm birth, Digest, p. 129.

Infants' HIV may be linked to prechewed food from infected caregivers, Digest, p. 255.

Risk may relocate, FYI, p. 73.

Squeaking by on prematurity, FYI, p. 5.

You have to want to change, FYI, p. 72.

Oral Contraceptives

Pill use in the month before conception linked to risk of low birth weight, preterm delivery, Digest, p. 128.

Pregnancy and Childbirth

Even at term, timing of cesarean is linked to adverse outcomes, Digest, p. 130.

Guidelines for preventing vertical HIV transmission, FYI, p. 5.

Intention status predicts maternal behavior, FYI, p. 4.

Labor's pain's lost, FYI, p. 5.

Pill use in the month before conception linked to risk of low birth weight, preterm delivery, see **Oral Contraceptives**.

Prospective assessment of pregnancy intentions using a single- vs. a multi-item measure, Kavanaugh ML and Schwarz EB, p. 238.

Second births to teenage mothers: risk factors for low birth weight and preterm birth, Partington SN, Steber DL, Blair KA and Cisler RA, p. 101.

Unintended pregnancy linked to unhealthy maternal behaviors, Digest, p. 192.

Reproductive Health

Many HIV-infected women do not get Pap tests as often as recommended, Digest, p. 257.

Pap after 50? Don't stop, FYI, p. 141.

Service Providers

Barriers to adolescents' getting emergency contraception through pharmacy access in California: differences by language and region, see **Teenagers**.

Pediatricians' support of breast-feeding is linked to their experience with it, see **Breast-Feeding**.

Women's perspectives on family planning service quality: an exploration of differences by race, ethnicity and language, Becker D, Klassen AC, Koenig MA, LaVeist TA, Sonenstein FL and Tsui AO, p. 158.

Sex Education

Disappointing results for peer-led sex education, FYI, p. 4.

Misconceptions about sexual health abound, FYI, p. 72.

Taking Be Proud! Be Responsible! to the suburbs: a replication study, Borawski EA, Trapl ES, Adams-Tufts K, Hayman LL, Goodwin MA and Lovegreen LD, p. 12.

Sexual Behavior

A little thing called love: condom use in high-risk primary heterosexual relationships, see **Barrier Methods**.

Anal sex among young people, FYI, p. 140.

Arousal loss related to safer sex and risk of pregnancy: implications for women's and men's sexual health, Higgins JA, Tanner AE and Janssen E, p. 150.

Casual sex and psychological health among young adults: is having "friends with benefits" emotionally damaging? Eisenberg ME, Ackard DM, Resnick MD and Neumark-Sztainer D, p. 231.

For HIV-positive black men, having partners of both sexes may be a marker for risky sexual behaviors, see **Males**.

Heterosexual anal sex is common among STD clinic clients, but is frequently not protected by condom use, Digest, p. 66.

Heterosexual Latino men's same-sex behavior may put their partners at risk, see **Males**.

Intimate partner violence among economically disadvantaged young adult women: associations with adolescent risk-taking and pregnancy experiences, see **Teenagers.**

It's better on TV: does television set teenagers up for regret following sexual initiation? See **Teenagers**.

Many at-risk black youth do not get HIV tests, FYI, p. 200.

Older, but not wiser, FYI, p. 73.

Risky sexual behaviors among Hispanic young adults in South Florida: nativity, age at immigration and gender differences, Weiss UK and Tillman KH, p. 202.

Sexual insistence and disliked sexual activities in young adulthood: differences by gender and relationship characteristics, Kaestle CE, p. 33.

Sexual partnerships in Britain: characteristics differ by gender and predict likelihood of condom use, see **Europe**.

Sexual risk-taking among adult dating couples in the United States, Billy JOG, Grady WR and Sill ME, p. 74.

They "miss more than anything their normal life back home": masculinity and extramarital sex among Mexican migrants in Atlanta, see **Males.**

Virginity pledgers are just as likely as matched nonpledgers to report premarital intercourse, see **Teenagers**.

West Indian immigrants, U.S.-born blacks have different STD risk profiles, see **STDs**.

Women's experiences with anal sex: motivations and implications for STD prevention, Maynard E, Carballo-Diéguez A, Ventuneac A, Exner T and Mayer K, p. 142.

STDs

Adults who were abused as children may face elevated risk of STDs, Digest, p. 192.

Consent procedures may discourage HIV testing, FYI, p. 141.

For HIV-positive black men, having partners of both sexes may be a marker for risky sexual behaviors, see **Males**.

Hit me with your best shot, FYI, p. 73.

HIV-infected men who have sex with men: risky sex linked to early abuse, see **Males**.

HIV testing for prisoners based on risk factors may underestimate prevalence of infection, Digest, p. 195.

In the period before age 21, women, but not men, may have elevated STD risks, Digest, p. 129.

Infants' HIV may be linked to prechewed food from infected caregivers, see **Maternal and Child Health**.

Many HIV-infected women do not get Pap tests as often as recommended, see **Reproductive Health**.

Medical costs of STDs, Letter, Chesson HW, p. 217.

Mothers may be out of sync with vaccination goals, FYI, p. 140.

Mothers' Pap screening and STD history associated with daughters' uptake, completion of HPV vaccine, Digest, p. 194.

Not just a girl thing, FYI, p. 201.

Opt-out increases uptake, FYI, p. 201.

Puerto Rico has unique HIV profile, FYI, p. 140.

Relationships between perceived STD-related stigma, STD-related shame and STD screening among a household sample of adolescents, Cunningham SD, Kerrigan DL, Jennings JM and Ellen JM, p. 225.

Singapore: teenagers' odds of sex linked to exposure to STDs in the media, see **Teenagers**.

Toward routine HIV testing, FYI, p. 201.

West Indian immigrants, U.S.-born blacks have different STD risk profiles, Digest, p. 63.

Women's experiences with anal sex: motivations and implications for STD prevention, see **Sexual Behavior**.

Young adult black men with depression have elevated STD prevalence, see **Males**.

Teenagers

Abortion or pill access is associated with lower birthrates among minors, Digest, p. 65.

An illusion of power: qualitative perspectives on abortion decision-making among teenage women in Sweden, see **Abortion**.

Barriers to adolescents' getting emergency contraception through pharmacy access in California: differences by language and region, Sampson O, Navarro SK, Khan A, Hearst N, Raine TR, Gold M, Miller S and Thiel de Bocanegra H, p. 110.

Can teenagers get emergency contraception in the ER? FYI, p. 73.

Canadian aboriginal youth: social, interpersonal factors are key to sexual behavior, Digest, p. 195.

Detailed educational pathways among females after very early sexual intercourse, Steward NR, Farkas G and Bingenheimer JB, p. 244.

How an adolescent's childbearing affects siblings' pregnancy risk: a qualitative study of Mexican American youths, East PL, Slonim A, Horn EJ, Trinh C and Reyes BT, p. 210.

In the period before age 21, women, but not men, may have elevated STD risks, see **STDs**.

Intimate partner violence among economically disadvantaged young adult women: associations with adolescent risk-taking and pregnancy experiences, O'Donnell L, Agronick G, Duran R, Myint-U A and Stueve A, p. 84.

It's better on TV: does television set teenagers up for regret following sexual initiation? Martino SC, Collins RL, Elliott MN, Kanouse DE and Berry SH, p. 92.

Minors' behavioral responses to parental involvement laws: delaying abortion until age 18, see **Law and Policy**.

Motherhood is not to blame, FYI, p. 200.

Mothers' Pap screening and STD history associated with daughters' uptake, completion of HPV vaccine, see **STDs**.

Music to their ears—and then what? FYI, p. 72.

Relationship dynamics and consistency of condom use among adolescents, Manning WD, Flanigan CM, Giordano PC and Longmore MA, p. 181.

Relationships between perceived STD-related stigma, STD-related shame and STD screening among a household sample of adolescents, see **STDs**.

Second births to teenage mothers: risk factors for low birth weight and preterm birth, see **Pregnancy and Childbirth.**

Singapore: teenagers' odds of sex linked to exposure to STDs in the media, Digest, p. 253.

So, like, teenagers don't know everything? FYI, p. 5.

State-level religiosity predicts teenage birthrate, FYI, p. 200.

Taking Be Proud! Be Responsible! to the suburbs: a replication study, see **Sex Education**.

Teenager see, teenager do? FYI, p. 4.

Virginity pledgers are just as likely as matched nonpledgers to report premarital intercourse, Digest, p. 63.

AUTHOR INDEX

Ackard DM, see Eisenberg ME.

Adams-Tufts K, see Borawski EA.

Agronick G, see O'Donnell L.

Bauermeister JA, see Hirsch JS.

Becker D, Klassen AC, Koenig MA, LaVeist TA, Sonenstein FL and Tsui AO, Women's perspectives on family planning service quality: an exploration of differences by race, ethnicity and language, p. 158.

Berry SH, see Martino SC.

Billy JOG, Grady WR and Sill ME, Sexual risk-taking among adult dating couples in the United States, p. 74.

Bingenheimer JB, see Steward NR.

Blair KA, see Partington SN.

Borawski EA, Trapl ES, Adams-Tufts K, Hayman LL, Goodwin MA and Lovegreen LD, Taking Be Proud! Be Responsible! to the suburbs: a replication study, p. 12.

Carballo-Diéguez A, see Maynard E.

Chang JC, see Sufrin CB.

Chesson HW, Medical costs of STDs, Letter, p. 217.

Cisler RA, see Partington SN.

Collins RL, see Martino SC.

Colman S and Joyce T, Minors' behavioral responses to parental involvement laws: delaying abortion until age 18, p. 119.

Corbett AM, Dickson-Gómez J, Hilario H and Weeks MR, A little thing called love: condom use in high-risk primary heterosexual relationships, p. 218.

Creinin MD, see Sufrin CB.

Cunningham SD, Kerrigan DL, Jennings JM and Ellen JM, Relationships between perceived STD-related stigma, STD-related shame and STD screening among a household sample of adolescents, p. 225.

Darj E, see Ekstrand M.

DeLeone FY, Lichter DT and Strawderman RL, Decomposing trends in nonmarital fertility among Latinas, p. 166.

Dickson-Gómez J, see Corbett AM.

Dubikaytis T, see Regushevskaya E.

Duran R, see O'Donnell L.

East PL, Slonim A, Horn EJ, Trinh C and Reyes BT, How an adolescent's childbearing affects siblings' pregnancy risk: a qualitative study of Mexican American youths, p. 210.

Eisenberg ME, Ackard DM, Resnick MD and Neumark-Sztainer D, Casual sex and psychological health among young adults: is having "friends with benefits" emotionally damaging? p. 231.

Ekstrand M, Tydén T, Darj E and Larsson M, An illusion of power: qualitative perspectives on abortion decision-making among teenage women in Sweden, p. 173.

Ellen JM, see Cunningham SD.

Elliott MN, see Martino SC.

Exner T, see Maynard E.

Farkas G, see Steward NR.

Flanigan CM, see Manning WD.

Giordano PC, see Manning WD.

Gold M, see Sampson O.

Goodwin MA, see Borawski EA.

Grady WR, see Billy JOG.

Hayman LL, see Borawski EA.

Hearst N, see Sampson O.

Hemminki E, see Regushevskaya E.

Higgins JA, Tanner AE and Janssen E, Arousal loss related to safer sex and risk of pregnancy: implications for women's and men's sexual health, p. 150.

Hilario H, see Corbett AM.

Hirsch JS, Muñoz-Laboy M, Nyhus CM, Yount KM and Bauermeister JA, They "miss more than anything their normal life back home": masculinity and extramarital sex among Mexican migrants in Atlanta, p. 23.

Horn EJ, see East PL.

Janssen E, see Higgins JA.

Jennings JM, see Cunningham SD.

Joyce T, see Colman S.

Kaestle CE, Sexual insistence and disliked sexual activities in young adulthood: differences by gender and relationship characteristics, p. 33.

Kanouse DE, see Martino SC.

Kasdan D, Abortion access for incarcerated women: are correctional health practices in conflict with constitutional standards? Viewpoint, p. 59.

Kavanaugh ML and Schwarz EB, Prospective assessment of pregnancy intentions using a single- vs. a multi-item measure, p. 238.

Kerrigan DL, see Cunningham SD.

Khan A, see Sampson O.

Klassen AC, see Becker D.

Koenig MA, see Becker D.

Kuznetsova O, see Regushevskaya E.

Larsson M, see Ekstrand M.

LaVeist TA, see Becker D.

Lichter DT, see DeLeone FY.

Longmore MA, see Manning WD.

Lovegreen LD, see Borawski EA.

Manning WD, Flanigan CM, Giordano PC and Longmore MA, Relationship dynamics and consistency of condom use among adolescents, p. 181.

Martino SC, Collins RL, Elliott MN, Kanouse DE and Berry SH, It's better on TV: does television set teenagers up for regret following sexual initiation? p. 92.

Mayer K, see Maynard E.

Maynard E, Carballo-Diéguez A, Ventuneac A, Exner T and Mayer K, Women's experiences with anal sex: motivations and implications for STD prevention, p. 142.

McKee M, see Perlman F.

Miller S, see Sampson O.

Muñoz-Laboy M, see Hirsch JS.

Myint-U A, see O'Donnell L.

Navarro SK, see Sampson O.

Neumark-Sztainer D, see Eisenberg ME.

Nikula M, see Regushevskaya E.

Nyhus CM, see Hirsch JS.

O'Donnell L, Agronick G, Duran R, Myint-U A and Stueve A, Intimate partner violence among economically disadvantaged young adult women: associations with adolescent risk-taking and pregnancy experiences, p. 84.

Partington SN, Steber DL, Blair KA and Cisler RA, Second births to teenage mothers: risk factors for low birth weight and preterm birth, p. 101.

Perlman F and McKee M, Trends in family planning in Russia, 1994–2003, p. 40.

Raine TR, see Sampson O.

Regushevskaya E, Dubikaytis T, Nikula M, Kuznetsova O and Hemminki E, Contraceptive use and abortion among women of reproductive age in St. Petersburg, Russia, p. 51.

Resnick MD, see Eisenberg ME.

Reyes BT, see East PL.

Sampson O, Navarro SK, Khan A, Hearst N, Raine TR, Gold M, Miller S and Thiel de Bocanegra H, Barriers to adolescents' getting emergency contraception through pharmacy access in California: differences by language and region, p. 110.

Schwarz EB, see Kavanaugh ML.

Sill ME, see Billy JOG.

Slonim A, see East PL.

Sonenstein FL, see Becker D.

Steward NR, Farkas G and Bingenheimer JB, Detailed educational pathways among females after very early sexual intercourse, p. 244.

Steber DL, see Partington SN.

Strawderman RL, see DeLeone FY.

Stueve A, see O'Donnell L.

Sufrin CB, Creinin MD and Chang JC, Incarcerated women and abortion provision: a survey of correctional health providers, p. 6.

Tanner AE, see Higgins JA.

Thiel de Bocanegra H, see Sampson O.

Tillman KH, see Weiss UK.

Trapl ES, see Borawski EA.

Trinh C, see East PL.

Tsui AO, see Becker D.

Tydén T, see Ekstrand M.

Ventuneac A, see Maynard E.

Weeks MR, see Corbett AM.

Weiss UK and Tillman KH, Risky sexual behaviors among Hispanic young adults in South Florida: nativity, age at immigration and gender differences, p. 202.

Yount KM, see Hirsch JS.